

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/889,913	12/13/2001	Kineo Matsui	MES1P043	3027
22434 7	590 11/03/2005		EXAM	INER
BEYER WEA	AVER & THOMAS L	LP	HENNING, M	NATTHEW T
P.O. BOX 702: OAKLAND. O	50 CA 94612-0250		ART UNIT	PAPER NUMBER
O			2131	
			DATE MAIL ED. 11/02/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	
Office Action Summary		09/889,913	MATSUI, KINEO	
		Examiner	Art Unit	
		Matthew T. Henning	2131	
Period fo	The MAILING DATE of this communication or Reply	appears on the cover sheet v	vith the correspondence ad	dress
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR RECHEVER IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CF SIX (6) MONTHS from the mailing date of this communication period for reply is specified above, the maximum statutory per to reply within the set or extended period for reply will, by steply received by the Office later than three months after the made patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUN R 1.136(a). In no event, however, may a h. rriod will apply and will expire SIX (6) MC tatute, cause the application to become A	ICATION. I reply be timely filed INTHS from the mailing date of this company to the company to t	
Status				
1)⊠	Responsive to communication(s) filed on 2	25 July 2005.		
′=	·	This action is non-final.		
,	Since this application is in condition for allo		tters, prosecution as to the	merits is
,	closed in accordance with the practice und	·	• •	
Dispositi	on of Claims			
4) 🖂	Claim(s) 1-20 is/are pending in the application	tion.		
-	4a) Of the above claim(s) is/are with			
5) 🗌	Claim(s) is/are allowed.			
6)⊠	☑ Claim(s) <u>1-20</u> is/are rejected.			
7)	Claim(s) is/are objected to.			
8)□	Claim(s) are subject to restriction ar	nd/or election requirement.		
Applicati	on Papers			
9) 🗆 :	The specification is objected to by the Exan	niner.		
	The drawing(s) filed on <u>23 July 2001</u> is/are:		cted to by the Examiner.	
,	Applicant may not request that any objection to	the drawing(s) be held in abeya	ince. See 37 CFR 1.85(a).	
	Replacement drawing sheet(s) including the con	rrection is required if the drawin	g(s) is objected to. See 37 CF	FR 1.121(d).
11) 🔲	The oath or declaration is objected to by the	e Examiner. Note the attache	ed Office Action or form PT	O-152.
Priority u	ınder 35 U.S.C. § 119			
	Acknowledgment is made of a claim for fore ☑ All b)☐ Some * c)☐ None of:	eign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
	1. Certified copies of the priority docum			
	2. Certified copies of the priority docum			_
	3. Copies of the certified copies of the	•	n received in this National	Stage
* 0	application from the International Bu	• • • • • • • • • • • • • • • • • • • •	4	
~ 5	see the attached detailed Office action for a	list of the certified copies no	t received.	
Attachment ⇔ ⊠ Nasia		,	C.,,,,,,,,,,,,,,(DTO, 110)	
1) Motice of References Cited (PTO-892) What is a summary (PTO-413) Paper No(s)/Mail Date				
3) 🔲 Inforr	nation Disclosure Statement(s) (PTO-1449 or PTO/SB r No(s)/Mail Date		Informal Patent Application (PTC)-152)

1	This action is in response to the communication filed on 7/25/2005.
2	DETAILED ACTION
3	Continued Examination Under 37 CFR 1.114
4	A request for continued examination under 37 CFR 1.114, including the fee set forth in
5	37 CFR 1.17(e), was filed in this application after final rejection. Since this application is
6	eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e)
7	has been timely paid, the finality of the previous Office action has been withdrawn pursuant to
8	37 CFR 1.114. Applicant's submission filed on 7/25/2005 has been entered.
9	Response to Arguments
10	Applicant's arguments with respect to claim1-20 have been considered but are moot in
11	view of the new ground(s) of rejection.
12	All objections and rejections not set forth below have been withdrawn.
13	Claims 1-20 have been examined.
14	Claim Rejections - 35 USC § 112
15	The following is a quotation of the second paragraph of 35 U.S.C. 112:
16 17 18	The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
19	Claim 16 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for
20	failing to particularly point out and distinctly claim the subject matter which applicant regards as
21	the invention. Claim 16 recites the limitation "the basic pattern" in lines 3 and 4. There is
22	insufficient antecedent basis for this limitation in the claim.
23	
24	

Application/Control Number: 09/889,913

Art Unit: 2131

Claim Rejections - 35 USC § 102

Page 3

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-4, 7-8, 13-14, and 16-20 are rejected under 35 U.S.C. 102(e) as being

anticipated by Inoue et al. (US Patent Number 6,477,276) hereinafter referred to as Inoue.

Regarding claim 1, Inoue disclosed a method of embedding a digital watermark in a master image (See Inoue Abstract and Figs. 12-14), said embedding method comprising the steps of: extracting blocks of a predetermined size from said master image (See Inoue Col. 45 Line 66 – Col. 46 Line 2); processing image data corresponding to each block by orthogonal transform (See Inoue Col. 46 Lines 2-5); comparing orthogonal transformed coefficients between at least two blocks having a predetermined relationship with each other (See Inoue Col. 46 Lines 5-15) and making the coefficients satisfy a preset order of magnitude according to bit information specified as the digital watermark, so as to embed the information (See Inoue Col. 46 Lines 16-30); and processing each block with the embedded bit information by inverse orthogonal transform, so as output a resulting image with digital watermark embedded therein (See Inoue Col. 46 Lines 30-39).

Regarding claim 13, Inoue disclosed a method of decoding a digital watermark from a

Art Unit: 2131

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

master image with the digital watermark embedded therein (See Inoue Fourth Embodiment Beginning in Col. 48), said decoding method comprising the steps of: extracting blocks of a predetermined size from said master image (See Inoue Col. 48 Lines 54-62 and Col. 45 Line 66 - Col. 46 Line 2); processing image data corresponding to each block by orthogonal transform (See Inoue Col. 48 Lines 54-62 and Col. 46 Lines 2-5); and comparing orthogonal transformed coefficients between at least two blocks having a predetermined relationship with each other (See Inoue Col. 48 Lines 62-67 and Col. 46 Lines 5-15) and extracting bit information, based on a preset order of magnitude that is applied to the coefficients (See Inoue Col. 49 Lines 28-38). Regarding claim 17, Inoue disclosed an apparatus of embedding a digital watermark in a master image (See Inoue Abstract and Figs. 12-14), said digital watermark embedding apparatus comprising: block extraction means that extracts blocks of a predetermined size from said master image (See Inoue Col. 45 Line 66 – Col. 46 Line 2); transformation means that processes image data corresponding to each block by orthogonal transform (See Inoue Col. 46 Lines 2-5); bit information embedding means that compares orthogonal transformed coefficients between at least two blocks having a predetermined relationship with each other (See Inoue Col. 46 Lines 5-15) and making the coefficients satisfy a preset order of magnitude according to bit information specified as the digital watermark, so as to embed the information (See Inoue Col. 46 Lines 16-30); and output means that processes each block with the embedded bit information by inverse orthogonal transform, so as output a resulting image with digital watermark embedded therein (See Inoue Col. 46 Lines 30-39).

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Regarding claim 18, Inoue disclosed an apparatus of decoding a digital watermark from a master image with the digital watermark embedded therein (See Inoue Fourth Embodiment Beginning in Col. 48), said digital watermark decoding apparatus comprising: block extraction means that extracts blocks of a predetermined size from said master image (See Inoue Col. 48 Lines 54-62 and Col. 45 Line 66 – Col. 46 Line 2); transformation means that processes image data corresponding to each block by orthogonal transform (See Inoue Col. 48 Lines 54-62 and Col. 46 Lines 2-5); and bit information extracting means that compares orthogonal transformed coefficients between at least two blocks having a predetermined relationship with each other (See Inoue Col. 48 Lines 62-67 and Col. 46 Lines 5-15) and extracting bit information, based on a preset order of magnitude that is applied to the coefficients (See Inoue Col. 49 Lines 28-38). Regarding claim 19, Inoue disclosed a recording medium in which a program for embedding a digital watermark in a master image is recorded in a computer readable manner(See Inoue Abstract and Figs. 12-14), said program causing a computer to attain the functions of: extracting blocks of a predetermined size from said master image (See Inoue Col. 45 Line 66 – Col. 46 Line 2); processing image data corresponding to each block by orthogonal transform (See Inoue Col. 46 Lines 2-5); comparing orthogonal transformed coefficients between at least two blocks having a predetermined relationship with each other (See Inoue Col. 46 Lines 5-15) and making the coefficients satisfy a preset order of magnitude according to bit information specified as the digital watermark, so as to embed the information (See Inoue Col. 46 Lines 16-30); and processing each block with the embedded bit information by inverse orthogonal transform, so as output a resulting image with digital watermark embedded therein (See Inoue Col. 46 Lines 30-39).

Application/Control Number: 09/889,913 Page 6

Art Unit: 2131

1 Regarding claim 20, Inoue disclosed a recording medium in which a program for decoding a digital watermark from a master image with a digital watermark embedded therein is 2 3 recorded in a computer readable manner (See Inoue Fourth Embodiment Beginning in Col. 48). said program causing a computer to attain the functions of: extracting blocks of a predetermined 4 5 size from said master image (See Inoue Col. 48 Lines 54-62 and Col. 45 Line 66 - Col. 46 Line 6 2); processing image data corresponding to each block by orthogonal transform (See Inoue Col. 48 Lines 54-62 and Col. 46 Lines 2-5); and comparing orthogonal transformed coefficients 7 8 between at least two blocks having a predetermined relationship with each other (See Inoue Col. 9 48 Lines 62-67 and Col. 46 Lines 5-15) and extracting bit information, based on a preset order of 10 magnitude that is applied to the coefficients (See Inoue Col. 49 Lines 28-38). 11 Regarding claims 2 and 14, Inoue disclosed that the predetermined relationship between 12 the at least two blocks is an arrangement of contiguity (See Inoue Fig. 13). Regarding claim 3, Inoue disclosed that the orthogonal transform is a discrete cosine 13 14 transform (See Inoue Col. 6 Lines 4-7). 15 Regarding claim 4, Inoue disclosed quantizing the coefficients obtained by the orthogonal 16 transform with a quantization table and using the quantized coefficients to embed the bit 17 information (See Inoue Col. 46 Lines 9-39). 18 Regarding claim 7, Inoue disclosed introducing a logic function that is true when a 19 difference between the orthogonal transformed coefficients of the at least two blocks having the 20 predetermined relationship is in a preset range; and modifying a procedure adopted to embed the 21 bit information, based on the true and false state of the logic function (See Inoue Col. 47 Lines 22 32-36 and Col. 40 Lines 1-30).

Application/Control Number: 09/889,913

Art Unit: 2131

Page 7

1	Regarding claim 8, Inoue disclosed providing a secret key corresponding to each
2	coefficient (See Inoue Col. 47 Lines 32-36 and Col. 40 Lines 1-30 Logical Value), and
3	modifying the procedure adopted to embed the bit information, based on the secret key
4	corresponding to each coefficient and the true and false state of the logic function with regard to
5	the coefficient (See Inoue Col. 40 Lines 1-30).
6	Regarding claim 16, Inoue disclosed arranging the extracted bit information to restore the
7	basic pattern; and decoding the digital watermark from the basic pattern (See Inoue Col. 50 Lines
8	10-15).
9	Claim Rejections - 35 USC § 103
10	The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
11	obviousness rejections set forth in this Office action:
12 13 14 15 16 17	(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
19	Claims 5 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue as
20	applied to claims 4 and 13 above, and further in view of Vora (US Patent Number 6,463,162).
21	Inoue disclosed embedding data in the coefficients of discrete cosine transformed blocks
22	(See Inoue Col. 46 Lines 1-39), but failed to disclose converting the image to the luminance-
23	chrominance space prior to applying DCT to the blocks.

1	Vora teaches that in order to increase the space available for embedding, an image should
2	be converted to the luminance-chrominance space prior to embedding (See Vora Col. 4 Lines 4-
3	10).
4	It would have been obvious to the ordinary person skilled in the art at the time of
5	invention to employ the teachings of Vora in the watermarking system of Inoue by converting
6	the image to the luminance-chrominance space prior to watermarking. This would have been
7	obvious because the ordinary person skilled in the art would have been motivated to increase the
8	increase the information content of the watermark.
9	Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue as applied to
10	claim 4 above, and further in view of Bhaskaran et al. (US Patent Number 6,064,764) hereinafter
11	referred to as Bhaskaran.
12	Inoue disclosed quantizing the coefficients of the DCT transformed blocks (See rejection
13	of claim 4 above), but failed to disclose only embedding the watermark data where the
14	coefficients are not zero.
15	Bhaskaran teaches that in order to keep the compression rate of the encoding of images,
16	watermark data should not be added where DCT coefficients are equal to zero (See Bhaskaran
17	Col. 5 Paragraph 2).
18	It would have been obvious to the ordinary person skilled in the art to employ the
19	teachings of Bhaskaran to the watermarking system Inoue by only choosing coefficients that are
20	non-zero to watermark. This would have been obvious because the ordinary person skilled in the
21	art would have been motivated to increase the compression potential of the watermarked image.

Application/Control Number: 09/889,913

Art Unit: 2131

Page 9

Claims 9-10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue as applied to claim 1 above, as evidenced by Johnson et al. ("Exploring Steganography: Seeing the Unseen") hereinafter referred to as Johnson.

Inoue disclosed providing a basic pattern as information of the digital watermark (See

Inoue disclosed providing a basic pattern as information of the digital watermark (See Inoue Col. 4 Lines 30-33), specifying each piece of binary information included in the provided basic pattern as the bit information as the bit information to be embedded (See Inoue Col. 47 Lines 32-34), and embedding the binary information of the basic pattern by setting the at least two blocks having the predetermined relationship to one unit (See Inoue Col. 47 Lines 34-47), and that embedding the basic pattern in the image data was done iteratively a predetermined number of times, when the number of elements constituting the basic pattern is greater than the number of extracted blocks (See Inoue Col. 47 Lines 48-57), but failed to disclose that the basic pattern was defined in a two-dimensional manner as a combination of binary information. However, it was well known in the art at the time of invention that the watermark data to be embedded into an image could also be an image and therefore it would have been obvious to the ordinary person skilled in the art at the time of invention to have embedded an image into the image data of Inoue.

This is evidenced by Johnson, wherein Johnson states that the data to be embedded in an image can be anything that could be embedded into a bit stream, including plain text, ciphertext, and other images (See Johnson Page 27 Col. 2 Lines 1-3).

Page 10

Application/Control Number: 09/889,913

Art Unit: 2131

Claims 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue as 1 applied to claim 9 above, and further in view of Ohbuchi et al. ("Watermarking Three-2 Dimensional Polygonal Modals"), hereinafter referred to as Ohbuchi. 3 Inoue disclosed embedding information (See rejection of claim 9 above), but failed to disclose 4 the information being a density pattern. 5 6 Ohbuchi teaches that density pattern embedding in polygonal models withstands practically every geometrical transformation attack (See Ohbuchi Page 271 Col. 1 Section 3.5). 7 It would have been obvious to the ordinary person skilled in the art to employ the 8 9 teachings of Ohbuchi in the watermarking system of Inoue by using a density pattern as the 10 watermark. This would have been obvious because the ordinary person skilled in the art would have been motivated to provide watermark protection to polygonal models as well as plain 11 12 images. Conclusion 13 14 Claims 1-20 have been rejected. 15 Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew T. Henning whose telephone number is (571) 272-3790. 16 17 The examiner can normally be reached on M-F 8-4. 18 If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (571) 272-3795. The fax phone number for the 19 20 organization where this application or proceeding is assigned is 571-273-8300.

Assistant Examiner

Art Unit 2131

10/27/2005

17 18

19

1	Information regarding the status of an application may be obtained from the Patent
2	Application Information Retrieval (PAIR) system. Status information for published applications
3	may be obtained from either Private PAIR or Public PAIR. Status information for unpublished
4	applications is available through Private PAIR only. For more information about the PAIR
5	system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR
6	system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).
7 8 9 10	
12 13	Joshin
14 15 / 16	AYAZ SHEIKH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100